[FIG. 1]

A1: LENS

A2: LASER BEAM

A3: THIN FILM OF AZOBENZENE POLYMER

A4: GAUSSIAN FUNCTION

A5: DISTRIBUTION OF LIGHT INTENSITY

[FIG. 2]

A1: ANGLE OF ROTATION OF SYMMETRIC AXIS

A2: SURFACE RELIEF PATTERN

A3: READING LIGHT

[FIG. 3]

A1: LINEAR POLARIZATION

A2: CIRCULAR POLARIZATION

[FIG. 4]

A1: RAISED PORTION

A2: FALLEN PORTION

A3: ANGLE θ OF ROTATION OF SYMMETRIC AXIS

A4: READING LIGHT

[FIG. 5]

A1: INTENSITY OF REFLECTED LIGHT (TRANSMITTED LIGHT)/AU

A2: ANGLE OF ROTATION OF READING LIGHT/DEG

A3: CASE OF (A)

A4: CASE OF (B)

A5: CASE OF (C)

A6: CASE OF (D)

[FIG. 6]

A1: INTENSITY OF REFLECTED LIGHT (TRANSMITTED LIGHT)/AU

A2: ANGLE OF ROTATION OF READING LIGHT/DEG

A3: IN THE CASE WHERE THE FALLEN AND RAISED PORTIONS HAVE THE SAME ORIENTATION BUT DIFFERENT DEPTHS

[FIG. 7]

A1: INTENSITY OF REFLECTED LIGHT (TRANSMITTED LIGHT)/AU

A2: ANGLE OF ROTATION OF READING LIGHT/DEG

A3: DEPTH OF UNEVENNESS

A4: SHALLOW

A5: DEEP

[FIG. 8]

A1: Z POSITION CONTROLLING SYSTEM

A2: WRITING LIGHT (BLUE - GREEN)

A3: DISTRIBUTION OF INTENSITY OF TRANSMITTED LIGHT

A4: PERIOD

A5: ROTARY STAGE

A6: ARRAY-SHAPED MASK

A7: SAMPLE

A8: UNEVENNESS RECORDED

A9: XYZ STAGE

A10: LASER

A11: DETECTOR

A12: POSITION

[FIG. 9]

A1: WRITING LIGHT (BLUE - GREEN)

A2: ELLIPSOIDAL PATTERN

A3: DIFFRACTION GRATING

A4: DISTRIBUTION OF INTENSITY OF TRANSMITTED LIGHT

A5: PERIOD

A6: MIRROR

A7: SAMPLE

A8: SURFACE RELIEF RECORDED

A9: UNEVENNESS RECORDED

A10: XYZ STAGE

A11: POSITION

20